

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1020	257/692.ccls.	USPAT; USOCR
2	BRS	L2	377	257/669.ccls.	USPAT; USOCR
3	BRS	L3	45	L1 and wiring and (slit or aperture) and insulat\$3	USPAT; USOCR
4	BRS	L4	17	L2 and wiring and (slit or aperture) and insulat\$3	USPAT; USOCR
5	BRS	L5	1	L3 and grain and size	USPAT; USOCR
6	BRS	L6	1	L4 and grain and size	USPAT; USOCR
7	BRS	L7	1	L4 and grain	USPAT; USOCR
8	BRS	L8	1	L3 and grain	USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	20688	wiring and (slit or aperture) and insulat\$3	USPAT; USOCR
10	BRS	L10	718	L9 and grain and size	USPAT; USOCR
11	BRS	L11	258	L10 and (grain adj size)	USPAT; USOCR
12	BRS	L12	38	L11 and microns	USPAT; USOCR
13	BRS	L13	1	"4897709".PN.	USPAT; USOCR
14	BRS	L14	1	"4829363".PN.	USPAT; USOCR
15	BRS	L15	1	"4674176".PN.	USPAT; USOCR
16	BRS	L16	465	257/692.ccls.	EPO; JPO; IBM_TD B

	Type	L #	Hits	Search Text	DBs
17	BRS	L17	298	257/669.ccls.	EPO; JPO; IBM_TD B